

Check List of Rove Beetles from Korea
(Coleoptera: Staphylinidae)

YUH, Jong-Hyun*; Woon Hah PAIK*; Yong Jong KWON** and Seung-Mo LEE***

*Department of Agricultural Biology, Collage of Agriculture,
Seoul National University, Suweon 170, Korea.

**Department of Agricultural Biology, Collage of Agriculture,
Kyungpook National University, Taegu 635, Korea.

***The Division of Entomology, National Science Museum, Seoul 110, Korea.

ABSTRACT

This paper is a provisional check list of Staphylinidae in Korea which the available synonyms for each species are arranged. In this paper, a total of 109 species belonging to 50 genus under 13 subfamilies are listed. Among them, 32 species are reported for the first time from Korea.

INTRODUCTION

The staphylinids, or rove beetles are one of the largest constituents of coleopterans, and most serve as canivors with their predacious feeding habits though some act as scavengers with saprophagous habits on carrions, dung, or any other decaying matters, taking a wide variety of habitats.

In often case, some are much beneficial in agriculture and their importance as one of useful agents of natural enemy in applicating biological control to agricultural or forest insect pests should be substantially recognized in Korea too, eventhough quite a few are harmful to public health as in case of *Paederus fuscipes* Cutis.

Previous taxonomic work on this group in Korea is so limited and insufficient that we could not provide a basic reference for the insect pest management in this country. Prior to the present study only 77 species has been recorded correctly in Korea, but the authors found 32 species hitherto unrecorded from Korea as a result, thus totally 109 species belonging to 50 genus under 13 subfamilies are known to Korean fauna.

As support of this survey, the following institutional collections were examined: Systematic Entomology Laboratory, Department of Agricultural Biology, Kyungpook National University, Taegu; Division of Entomology, National Science Museum, Seoul; Systematic Entomology Laboratory, Department of Agricultural Biology, Seoul Nation University, Suweon; Department of Entomology, Institute of Agricultural Science, Office of Rural Development,

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

Suweon.

Taking this opportunity, the authors wish to express his cordial thanks to Dr. Yo Shibata of Tokyo, Japan, for his constant kindness in tracing literature, determinating and resolving taxonomic problems in Korean material during the last 7 years, and to Chief Researcher S.M. Lee, Division of Entomology, Nation Science Museum, Seoul, for his encouragement with generous gift of lots of specimens for this study.

Special thanks are due to Prof. Y. Watanabe, Entomological Laboratory, Tokyo University of Agriculture, Tokyo, Japan, for his indispensable aid in identifying matters. Without these gentlemen's supports it could never been possible to finish the present work. They also greatly indebted to Dr. P. Gilbert, Department of Entomology Library, British Museum (Natural History), London, U.K., to Mr. S. Naomi, Entomological Laboratory, Kyushu University, Fukuoka, Japan and to Dr. V. Puthz, Limnologische Fluss-Station des Max-Planck-Instituts für Limnologie, Schlitz, Germany, for their kind providings of Literature.

The first author expresses his heartfelt thanks to Prof. K.S. Woo, Department of Agricultural biology, Seoul National University, Suweon, for his guidance and encouragement throughout this study.

SISTEMATICS

Family STAPHYLINIDAE

Subfamily I. PIESTINAE

Tribe Piestini

Genus 1. *Siagonium* Kirby et Spencer, 1815 남작반날개 속(신칭)

1. *Siagonium vittatum* Fauvel, 1875 남작반날개

Siagonium vittatum Fauvel, 1875, Cat. Syst. Staph.: 1.

Siagonium haroldi Weise, 1879, Deutsch. Ent. Zeitschr. 23: 148.

Siagonium vittatum: Bernhauer et Schubert, 1910, Col. Cat. 19: 9.

Siagonium vittatum: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 80.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Taiwan), U.S.S.R. (E. Siberia).

Genus 2. *Piestoneus* Sharp, 1889 큰남작반날개 속

2. *Piestoneus lewisi* Sharp, 1889 큰남작반날개 (신칭)

Piestoneus lewisi Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 465.

Piestoneus lewisi: Bernhauer et Schubert, 1910, Col. Cat. 19: 9.

Piestoneus Lewisi (sic): Shibata, 1976, Ann. Bull. Nich. Sank. 19: 81.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Genus 3. *Lispinus* Erichson, 1839 종납작반날개 속

3. *Lispinus aper* Sharp, 1889 종납작반날개 (신칭)

Lispinus aper Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 466.
Lispinus aper: Bernhauer et Schubert, 1910, Col. Cat. 19:21.
Lispinus aper: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 82-83.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu).

Subfamily II. **PROTEININAE** 넓적반날개 아과

Genus 4. *Proteinus* Latreille, 1796 넓적반날개 속

4. *Proteinus crassicornis* Sharp, 1874 넓적반날개 (신칭)

Proteinus crassicornis Sharp, 1874, Trans. Ent. Soc. Lond.: 100.
Proteinus crassicornis: Bernhauer et Schubert, 1910, Col. Cat. 19: 34.
Proteinus crassicornis: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 90.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia).

Subfamily III. **OMALIINAE** 네눈반날개아과

Genus 5. *Acidota* Stephens, 1829 긴네눈반날개 속

5. *Acidota crenata* (Fabricius, 1792) 긴네눈반날개 (신칭)

Staphylinus crenatus Fabricius, 1792, Ent. Syst. 1: 525.
Acidota crenata: Bernhauer et Schubert, 1910, Col. Cat. 19: 69.
Acidota crenata: Tottenham, 1954, Handb. Id. Brit. Ins. 4(8a):32.
Acidota crenata: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 111-112.

Distribution: Korea (South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia, Caucasus), Europe, North America.

Genus 6. *Psephidonus* Gistel, 1856 물가네눈반날개 속

6. *Psephidonus caliginosus* (Sharp, 1889) 검은물가네눈반날개 (신칭)

Anthophagus caliginosus Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 470.
Anthophagus caliginosus: Bernhauer et Schubert, 1910, Col. Cat. 19: 79.
Geodromicus caliginosus: Scheerpeltz, 1933, Col. Cat. 129: 1065.
Psephidonus caliginosus: Adachi, 1957, Journ. Tôyo Univ. 11: 196.
Psephidonus caliginosus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 116-117.

Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku).

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

7. *Psephidonus lestevoides* (Sharp, 1889) 물가네눈반날개 (신칭)

- Anthophagus lestevoides* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 470.
Anthophagus lestevoides: Bernhauer et Schubert, 1910, Col. Cat. 19: 80.
Geodromicus lestevoides: Scheerpeltz, 1933, Col. Cat. 129: 1066.
Psephidonus lestevoides: Watanabe, 1969, Bull. Nat. Sci. Mus. Tokyo 12(3): 624-627.
Psephidonus lestevoides: Sakaguti et Sawada, 1955, Col. Ill. Ins. Jap.: 50, pl. 14 (268).
Psephidonus lestevoides: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 117.
Psedophinus lestevoides: Lee, 1978, Kor. Journ. Ent. 8(2): 7.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku).

Subfamily IV. PHLOEOCHARINAE 수염물가반날개 아과

Genus 7. *Derops* Sharp, 1889 굴수염반날개 속

8. *Derops coreanus* (Watanabe, 1969) 굴수염반날개 (신칭)

- Paralester coreanus* Watanabe, 1969, Bull. Nat. Sci. Mus. Tokyo 12(3): 627-630.
Derops japonicus: Herman, 1970, Bull. Am. Mus. Nat. Hist. 142: 427.
Delops japonicus (sic): Shibata, 1976, Ann. Bull. Nich. Sank. 19: 127-128.
Paralester coreanus: Lee, 1978, Kor. Journ. Ent. 8(2): 7.

Distribution: Korea (Central).

Subfamily V. OXYTELINAE 줄반날개 아과

Tribe Coprophilini

Genus 8. *Bledius* Leach, 1819 긴뿔반날개 속

9. *Bledius salsus* Miyatake, 1963 긴뿔반날개 (신칭)

- Blediub* (*Bledius*) *salsus* Miyatake, 1963, Trans. Shik. Ent. Soc. 7(4): 106-109, pl. 13(1, 2).
Bledius salsus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 139.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku).

10. *Bledius yezoensis* Nakane, 1963 북방긴뿔반날개 (신칭)

- Bledius yezoensis* Nakane, 1963, Fragn. Col. 5: 21.
Bledius (*Hesperophilus*) *yezoensis*: Watanabe et Shibata, 1965, Kontyu 33(3): 317.
Bledius yezoensis Shibata, 1976, Ann. Bull. Nich. Sank. 19: 141.

Distribution: Korea (new record: Central), Japan (Hokkaido).

Genus 9. *Thinodromus* Kraatz, 1858 굵은줄반날개 속

11. *Thinodromus sericatus* (Sharp, 1889)

굵은줄반날개 (신칭)

Trogophloeus sericatus Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 415.*Trogophloeus (Thinodromus) sericatus*: Bernhauer et Schubert, 1911, Col. Cat. 29: 95.*Thinodromus sericatus*: Herman, 1970, Bull. Am. Mus. Nat. Hist. 142: 387.*Thinodromus sericatus*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 145-146.**Distribution:** Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu).

Tribe Oxytelini

Genus 10. *Platystethus* Mannerheim, 1831

강변반날개 속

12. *Platystethus operosus* Sharp, 1874

강변반날개 (신칭)

Platystethus operosus Sharp, 1874, Trans. Ent. Soc. Lond.: 91.*Platystethus operosus*: Bernhauer et Schubert, 1911, Col. Cat. 29: 124.*Platystethus operosus*: Shibata, 1973, Ann. Bull. Nich. Sank. 16: 33.*Platystethus operosus*: Shibata, 1976, Ibid. 19: 151-152.**Distribution:** Korea (new record: Central, South), Japan (Hokkaido, Honshu), China (Taiwan).Genus 11. *Oxytelus* Gravenhorst, 1802

줄반날개 속

13. *Oxytelus bengalensis* Erichson, 1840

인도줄반날개 (신칭)

Oxytelus bengalensis Erichson, 1840, Gen. Spec. Staphyl.: 789.*Oxytelus opacifrons* Sharp, 1874, Trans. Ent. Soc. Lond.: 93.*Oxytelus bengalensis* + *O. opacifrons*: Bernhauer et Schubert, 1911, Col. Cat. 29: 110, 117.*Oxytelus (Caccoporus) bengalensis*: Cameron, 1930, Faun. Brit. Ind. Col. Staph. 1: 232.*Oxytelus bengalensis*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 152-153.**Distribution:** Korea (Chejudo), Japan (Honshu, Shikoku, Kyushu), India, China (Taiwan, South).14. *Oxytelus nigriceps* Kraatz, 1859

검은머리줄반날개 (신칭)

Oxytelus nigriceps Kraatz, 1859, Archf. Nat. 25: 171.*Oxytelus (Caccoporus) nigriceps*: Bernhauer et Schubert, 1911, Col. Cat. 29: 116.*Oxytelus (Oxytelus) nigriceps*: Adachi, 1957, Journ. Tōyō Univ. 11: 194.*Oxytelus nigriceps*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 157-158.**Distribution:** Korea (new record: Central), Japan (Honshu, Kyushu, Shikoku, Ryukyus), China (Taiwan), S.E. Asia.15. *Oxytelus piceus* (Linnaeus, 1767)

노랑딱사줄반날개 (개)

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

- Staphylinus piceus* Linnaeus, 1767, Syst. Nat. ed. 12: 686.
Oxytelus japonicus Motschulsky, 1860, Etud. Ent. 9: 10.
Oxytelus (Caccoporus) piceus: Gangbauer, 1895, Käf. Mitt-Eur. 2: 639.
Oxytelus piceus: Bernhauer et Schubert, 1911, Col. Cat. 29: 117.
Oxytelus (Oxytelus) piceus: Adachi, 1957, Journ. Tôyô. Univ. 11: 196.
Oxytelus piceus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 158-159.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), Palaearctic region.

Genus 12. *Anotylus* Thomson, 1859 주름뿔반날개 속

16. *Anotylus amicus* (Bernhauer, 1992) 예쁜주름뿔반날개 (신칭)

- Oxytelus amicus* Bernhauer, 1922, Kol. Rundsch. 10: 122.
Oxytelus (Anotylus) amicus: Bernhauer, 1922, Arch. Nat. A, 88: 223.
Oxytelus (Anotylus) amicus: Shibata, 1973, Ann. Bull. Nich. Sank. 16: 31.

Distribution: Korea (South), China (Manchuria, Taiwan).

17. *Anotylus cognatus* (Sharp, 1874) 주름뿔반날개 (신칭)

- Oxytelus cognatus* Sharp, 1874, Trans. Ent. Soc. Lond.: 94.
Oxytelus (Anotylus) cognatus: Bernhauer et Schubert, 1911, Col. Cat. 29: 111.
Anotylus cognatus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 160-161.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

18. *Anotylus crassicornis* (Sharp, 1874) 바수염주름뿔반날개 (신칭)

- Oxytelus crassicornis* Sharp, 1874, Trans. Ent. Soc. Lond.: 92.
Oxytelus (Oxytelus) crassicornis: Bernhauer et Schubert, 1911, Col. Cat. 29: 111.
Oxytelus crassicornis: Cho. 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 201.
Oxytelus crassicornis: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Anotylus crassicornis: Herman, 1970, Bull. Am. Mus. Nat. Hist. 142: 417.
Anotylus crassicornis: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 161.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku), China (Taiwan).

19. *Anotylus minus* (Sharp, 1874) 주름뿔지뿔반날개 (신칭)

- Oxytelus minus* Sharp, 1874, Trans. Ent. Soc. Lond.: 94.
Oxytelus (Anotylus) minus: Bernhauer et Schubert, 1911, Col. Cat. 29: 116.
Anotylus minus: Herman, 1970, Bull. Am. Mus. Nat. Hist. 142: 419.
Anotylus minus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 165.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

Subfamily VI. OSORINAE

부구반날개 아과

Genus 13. *Osorius* Latreille, 1829

부구반날개속

20. *Osorius taurus* Sharp, 1889 ♂ 부구반날개 (신칭)*Osorius taurus* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 411.*Osorius taurus*: Bernhauer et Schubert, 1911, Col. Cat. 29: 145.*Osorius taurus*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 169-170.**Distribution:** Korea (new record: South), Japan (Honshu, Shikoku, Kyushu, Ryukyus).

Subfamily VII. OXYPORINAE

입치레반날개 아과

Genus 14. *Oxyporus* Fabricius, 1775

입치레반날개

21. *Oxyporus germanus* Sharp, 1889 ♂ 동입치레반날개 (신칭)*Oxyporus germanus* Sharp, 1889 Ann. Mag. Nat. Hist. 6, 3: 409.*Oxyporus germanus*: Bernhauer et Schubert, 1911, Col. Cat. 20: 149.*Oxyporus germanus*: Nagaoka, 1938, Ent. World 5(46): 26.*Oxyporus germanus*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 173.**Distribution:** Korea (North, Central), Japan (Honshu).22. *Oxyporus japonicus* Sharp, 1889 ♂ 입치레반날개*Oxyporus japonicus* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 407.*Oxyporus japonicus*: Bernhauer et Schubert, 1911, Col. Cat. 29: 149.*Oxyporus maxillosus angularis* (nec. Gebler): Cho, 1934, Journ. Chos. Nat. Hist. Soc. 17: 83.*Oxyporus maxillosus*: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.*Oxyporus maxillosus*: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.*Oxyporus maxillosus*: Cho, 1969, Ill. Encycl. Faun. & Fl. Kor. 10: 197, pl. 66(2).*Oxyporus japonicus*: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 174-175.**Distribution:** Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu).Genus 15. *Pseudoxyporus* Nakane et Sawada, 1956

머섯입치레반날개 속

23. *Pseudoxyporus longipes* (Sharp, 1889) 머섯입치레반날개 (신칭)*Oxyporus longipes* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 409.*Oxyporus longipes*: Bernhauer et Schubert, 1911, Col. Cat. 29: 149.*Pseudoxyporus longipes*: Nakane et Sawada, 1956, Sci. Rep. Saikyo Univ. 2(2): 122, pl. 2 (7, 8c).

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

Pseudoxyporus longipes: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 183-184.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku).

Subfamily VIII. **STENINAE**

딱부리반날개 아과

Genus 16. ***Stenus Latreilla*, 1796**

딱부리반날개 속

24. ***Stenus (Stenus) alienus Sharp, 1874***

두눈속딱부리반날개 (개)

- Stenus alienus* Sharp, 1874, Trans. Ent. Soc. Lond.: 81.
Stenus semenowi Eppelsheim, 1889, Trud. Russk. Ent. obshch. 13: 181.
Stenus subnudus Eppelsheim, 1893 Deutsch. Ent. Zeitschr. : 53.
Stenus pekinensis Csiki, 1901, Zichys Erg. III: 104.
Stenus (Stenus) alienus: Bernhauer et Schubert, 1911, Col. Cat. 29: 152.
Stenus alienus: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Stenus alienus: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Stenus alienus: Puthz, 1972, Fol. Ent. Hung. 25 (26): 402.
Stenus alienus: Puthz, 1974a, Fragm. Faun. 19 (16): 434.
Stenus (Stenus) alienus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 186-187.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mainland, Manchuria).

25. ***Stenus (Stenus) clavicornis (Scopoli, 1763)***

몽둥이딱부리반날개 (신칭)

- Staphylinus clavicornis* Scopoli, 1763, Ent. Carn.: 100.
Stenus (Stenus) clavicornis: Bernhauer et Schubert, 1911, Col. Cat. 29: 156.
Stenus (Stenus) clavicornis: Tottenham, 1954, Handb. Id. Brit. Ins. 4 (8a): 62.
Stenus clavicornis: Puthz, 1974a, Fragm. Faun. 19 (16): 435.

Distribution: Korea (North), Europe.

26. ***Stenus (Stenus) comma Leconte, 1863***

나도딱부리반날개 (신칭)

- Stenus comma* Leconte, 1863, Smith. Misc. Collns. 167: 50.
Stenus (Stenus) comma: Bernhauer et Schubert, 1911, Col. Cat. 29: 155.
Stenus (Stenus) comma: Tottenham, 1954, Handb. Id. Brit. Ins. 4 (8a): 59.
Stenus comma: Puthz, 1972, Fol. Ent. Hung. 25 (26): 401.
Stenus comma: Puthz, 1974a, Fragm. Faun. 19 (16): 434.
Stenus comma: Puthz, 1974b, Ann. Hist. Nat. Mus. Nat. Hung. 66: 159.
Stenus comma: Puthz, 1979, Fol. Ent. Hung. 32 (1): 121.

Distribution: Korea (North, South), Europe, Holarctic Region.

27. ***Stenus (Stenus) distans Sharp, 1889***

검은무릎딱부리반날개 (신칭)

- Stenus distans* Sharp, 1889, Ann. Mag. Nat. Hist. Lond. 6, 3: 327.
Stenus (Stenus) distans: Bernhauer et Schubert, 1911, Col. Cat. 29: 157.
Stenus beppuensis Bernhauer, 1939, Ent. Nachr. Blatt. 12: 151.
Stenus distans: Puthz, 1974a, Fragm. Faun. 19 (16): 435-436.
Stenus (Stenus) distans: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 188-189.

Distribution: Korea (North, Central), Japan (Shikoku, Kyushu), U.S.S.R. (Maritime Territory).

28. *Stenus (Stenus) lewisius* Sharp, 1874 멧쟁이딱부리만날개 (개)

- Stenus lewisius* Sharp, 1874, Trans. Ent. Soc. Lond.: 81.
Stenus (Stenus) lewisius: Bernhauer et Schubert, 1911, Col. Cat. 29: 161.
Stenus lewisius: Puthz, 1974a, Fragm. Faun. 19 (16): 434.
Stenus lewisius: Puthz, 1974b, Ann. Hist. Nat. Mus. Nat. Hung. 66: 159.
Stenus (Stenus) lewisius: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 189-190.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Kyushu).

29. *Stenus (Stenus) secretus* Bernhauer, 1915 숨은딱부리만날개 (신칭)

- Stenus secretus* Bernhauer, 1915, Wien. Ent. Zeit. 34: 70.
Stenus aureosetulus Benick, 1924, Deutsch. Ent. Zeitschr.: 252.
Stenus secretus: Puthz, 1979, Fol. Ent. Hung. 32 (1): 121.

Distribution: Korea (North), China (North), U.S.S.R. (Mantime Territory).

30. *Stenus (Stenus) tenuipes* Sharp, 1874 가늌:다리딱부리만날개 (신칭)

- Stenus tenuipes* Sharp, 1874, Trans. Ent. Soc. Lond.: 80.
Stenus (Stenus) tenuipes: Bernhauer et Schubert, 1911, Col. Cat. 29: 168.
Stenus tenuipes: Haku, 1936, Journ. Chos. Nat. Hist. Soc. 21: 125.
Stenus (Stenus) tenuipes: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 192.

Distribution: Korea (South), Japan (Hokkaido, Honshu), China (Mainland).

31. *Stenus (Nestus) ageus* Casey, 1884 고운딱부리만날개 (신칭)

- Stenus ageus* Casey, 1884, Rev. Sten. Amer. N. Mex.: 116.
Stenus rigidus Casey, 1884, Ibid.: 119.
Stenus dissociatus Eppelsheim, 1893, Deutsch. Ent. Zeitschr.: 54.
Stenus (Stenus) ageus: Bernhauer et Schubert, 1911, Col. Cat. 29: 153.
Stenus parvulus Benick, 1914, Ent. Mitt. 3: 150.
Stenus ageus: Puthz, 1974a, Fragm. Faun. 19 (16): 438.

Distribution: Korea (North), U.S.S.R. (Siberia), Europe, N. America.

32. *Stenus (Nestus) melanarius verecundus* Sharp, 1874 줄딱부리만날개 (신칭)

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

- Stenus verecundus* Sharp, 1874, Trans. Ent. Soc. Lond.: 81.
Stenus melanarius Stephens, 1883, Ill. Brit. Ent. Mand. 5: 299.
Stenus (Stenus) verecundus: Bernhauer et Schubert, 1911, Col. Cat. 29: 168.
Stenus (Nestus) verecundus: Scheerpeltz, 1933, Col. Cat. 129: 1168.
Stenus (Stenus) melanarius verecundus: Benick, 1941, Stett. Ent. Zeit. 102: 281-284.
Stenus melanarius verecundus: Puthz, 1972, Fol. Ent. Hung. 25 (26): 402.
Stenus melanarius verecundus: Puthz, 1974a, Fragm. Faun. 19 (16): 438.
Stenus (Nestus) melanarius verecundus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 194.

Distribution: Korea (North), Japan (Honshu), China (Mainland, Taiwan).

33. *Stenus (Nestus) puberulus* Sharp, 1874 자란딱부리반날개 (신칭)

- Stenus puberulus* Sharp, 1874, Trans. Ent. Soc. Lond.: 83.
Stenus (Stenus) puberulus: Bernhauer et Schubert, 1911, Col. Cat. 29: 165.
Stenus (Nestus) puberulus: Scheerpeltz, 1933, Col. Cat. 129: 1164.
Stenus puberulus: Puthz, 1972, Fol. Ent. Hung. 25 (26): 403.
Stenus puberulus: Puthz, 1974a, Fragm. Faun. 19 (16): 438.
Stenus puberulus: Puthz, 1974b, Ann. Hist. Nat. Mus. Nat. Hung. 66: 159.
Stenus (Nestus) puberulus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 194-195.

Distribution: Korea (North, Central, South), Japan (Kyushu), China (Shanghai, Taiwan), Vietnam.

34. *Stenus (Nestus) ruralis* Erichson, 1840 시골딱부리반날개 (신칭)

- Stenus ruralis* Erichson, 1840, Gen. Spec. Staphyl.: 697.
Stenus (Stenus) ruralis: Bernhauer et Schubert, 1911, Col. Cat. 29: 166.
Stenus (Nestus) ruralis: Benick, 1929, Best. -Tab. Eur. Col. 96: 53.
Stenus ruralis: Puthz, 1972, Fol. Ent. Hung. 25 (26): 402.
Stenus ruralis: Puthz, 1974a, Fragm. Faun. 19 (16): 438.
Stenus (Nestus) ruralis: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 195.
Stenus ruralis: Puthz, 1979, Fol. Ent. Hung. 32 (1): 121.

Distribution: Korea (North, Central), Japan (Hokkaido), U.S.S.R. (Siberia), Europe.

35. *Stenus (Tesusus) pilosiventris* Bernhauer, 1915 털배딱부리반날개 (신칭)

- Stenus pilosiventris* Bernhauer, 1915, Wien. Ent. Zeit. 34: 70.
Stenus pilosiventris: Puthz, 1974a, Fragm. Faun. 19 (16): 439.
Stenus pilosiventris: Puthz, 1979, Fol. Ent. Hung. 32 (1): 121-122.

Distribution: Korea (North, South), China (North), Mongolia.

36. *Stenus (Hypostenus) bohemicus* Machulka, 1947 보헤미아딱부리반날개 (신칭)

- Stenus bohemicus* Machulka, 1947, Sb. Ent. Odd. Nar. Mus. Prah. 25: 88.

Stenus bohemicus: Puthz, 1974a, *Fragm. Faun.* 19 (16): 439.

Distribution: Korea (North), U.S.S.R. (Maritime Territory, Siberia), Mongolia, Europe.

37. *Stenus (Hypostenus) cicindeloides* (Schaller, 1783) 북쪽알락딱부리반날개 (신칭)

Staphylinus cicindeloides Schaller, 1783, *Abh. Hall. Nat. Ges.* 1: 324.

Stenus cicndela Sharp, 1784, *Trans. Ent. Soc. Lond.*: 85. (Nom. Syn.)

Stenus (Hypostenus) cicndela + *S. (H.) cicindeloides*: Bernhauer et Schubert, 1911, *Col. Cat.* 29: 173.

Stenus cicndela: Haku, 1936, *Journ. Chos. Nat. Hist. Soc.* 21: 125.

Stenus cicindeloides: Puthz, 1972, *Fol. Ent. Hung.* 25 (26): 403.

Stenus cicindeloides: Puthz, 1974a, *Fragm. Faun.* 19 (16): 439-440.

Stenus cicindeloides: Puthz, 1974b, *Ann. Hist. Nat. Mus. Nat. Hung.* 66: 159.

Stenus (Hypostenus) cicindeloides: Shibata, 1976, *Ann. Bull. Nich. Sank.* 19: 197-198.

Stenus cicindeloides: Puthz, 1979, *Fol. Ent. Hung.* 32(1): 122.

Distribution: Korea (North, Central, South), japan (Honshu, Shikoku, Kyushu), China, Vietnam, Palaearctic Region, Oriental Region.

38. *Stenus (Hypostenus) cribellatus* Motschulsky, 1857 남방딱부리반날개

Stenus cribellatus Motschulsky, 1857, *Bull. Soc. Imp. Nat. Mosc.* 30: 515.

Stenus confertus Sharp, 1889, *Ann. Mag. Nat. Hist.* 6, 3: 331.

Stenus (Hypostenus) confertus: Bernhauer et Schubert, 1911, *Col. Cat.* 29: 173.

Stenus (Hypostenus) confertus: Shibata, 1976, *Ann. Bull. Nich. Sank.* 19: 199.

Stenus cribellatus: Puthz, 1979, *Fol. Ent. Hung.* 32(1): 122.

Distribution: Korea (North), Japan (Honshu), India.

39. *Stenus (Hypostenus) decoratus* Benick, 1914 치레딱부리반날개 (신칭)

Stenus decoratus Benick, 1914, *Ent. Mitt.* 3: 152.

Stenus decoratus: Puthz, 1974a, *Fragm. Faun.* 19 (16): 440.

Stenus decoratus: Puthz, 1974b, *Ann. Hist. Nat. Mus. Nat. Hung.* 66: 160.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory).

40. *Stenus (Hypostenus) mercator* Sharp, 1889 -구리딱부리반날개 (신칭)

Stenus mercator Sharp, 1889, *Ann. Mag. Nat. Hist.* 6, 3: 333.

Stenus (Hypostenus) mercator: Bernhauer et Schubert, 1911, *Col. Cat.* 29: 176.

Stenus mercator: Puthz, 1972, *Fol. Ent. Hung.* 25 (26): 403-404.

Stenus mercator: Puthz, 1974a, *Fragm. Faun.* 19 (16): 439.

Stenus (Hypostenus) mercator: Shibata, 1976, *Ann. Bull. Nich. Sank.* 19: 201.

Stenus mercator: Puthz, 1979, *Fol. Ent. Hung.* 32 (1): 122.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku), China.

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

41. *Stenus (Hypostenus) oblitus* Sharp, 1874

꼬마딱부리반날개 (신칭)

- Stenus oblitus* Sharp, 1874, Trans. Ent. Soc. Lond.: 87.
Stenus (Hypostenus) oblitus: Bernhauer et Schubert, 1911, Col. Cat. 29: 176.
Stenus oblitus: Puthz, 1972, Fol. Ent. Hung. 25 (26): 404.
Stenus oblitus: Puthz, 1974a, Fragm. Faun. 19 (16): 439.
Stenus (Hypostenus) oblitus: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 202.
Stenus oblitus: Puthz, 1979, Fol. Ent. Hung. 32(1): 122.

Distribution: Korea (North, Central), Japan (Honshu), China, Vietnam, U.S.S.R. (Maritime Territory).

42. *Stenus (Hypostenus) weisei* Bernhauer, 1912

잔마이제딱부리반날개 (신칭)

- Stenus weisei* Bernhauer, 1912, Ent. Zeitschr. 25: 259.
Stenus (Hypostenus) weisei: Benick, 1924, Deutsch. Ent. Zeitschr.: 256.
Stenus (hypostenus) weisei: Scheerpeltz, 1933, Col. Cat. 129: 1184.
Stenus (Hypostenus) weisei: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 203-204.

Distribution: Korea (North: The exact locality unknown to us), Japan (Hokkaido), U.S.S.R. (Siberia).

43. *Stenus (Parastenus) auriger* Eppelsheim, 1893

푸른딱부리반날개

- Stenus auriger* Eppelsheim, 1893, Deutch. Ent. Zeitschr.: 57.
Stenus (Hemistenus) auriger: Bernhauer et Schubert, 1911, Col. Cat. 29: 179.
Stenus auriger: Puthz, 1974b, Ann. Hist. Nat. Mus. Nat. Hung. 66: 160.
Stenus auriger: Puthz, 1979, For. Ent. Hung. 32(1): 122.

Distribution: Korea (North), U.S.S.R. (Siberia, Kantschakka), Mongolia.

44. *Stenus (Parastenus) coronatus* Benick, 1928

왕관딱부리반날개

- Stenus coronatus* Benick, 1928, Stett. Ent. Zeit. 89: 160-161.
Stenus (Hemistenus) coronatus: Wu, 1937, Cat. Ins. Sin. 3: 325.

Distribution: Korea (North), China (Yunnan).

45. *Stenus (Parastenus) friebi* Benick, 1924

황색딱부리반날개 (신칭)

- Stenus friebi* Benick, 1924, Deutsch. Ent. Zeitschr.: 256.
Stenus friebi: Puthz, 1974a, Fragm. Faun. 19 (16): 440.
Stenus friebi: Puthz, 1974b, Ann. Hist. Nat. Mus. Nat. Hung. 66: 160.

Distribution: Korea (North, Central), U.S.S.R. (Maritime Territory).

46. *Stenus (Parastenus) rugipennis* Sharp, 1874

황다리딱부리반날개 (신칭)

- Stenus rugipennis* Sharp, 1874, Trans. Ent. Soc. Lond.: 85.
Stenus conformis Eppelsheim, 1886, Deutsch. Ent. Zeitschr. 30: 44.
Stenus (Hemistenus) rugipennis: Bernhauer et Schubert, 1911, Col. Cat. 29: 185.
Stenus sharpianus Cameron, 1930, Ent. Monthl. Mag. 66: 205.
Stenus (Parastenus) rugipennis: Puthz, 1968, Ent. Rev. Jap. 20 (1, 2): 50.
Stenus (Parastenus) rugipennis: Shibata, 1976, Ann. Bull. Nich. Sank. 19: 205-206.
Stenus rugipennis: Puthz, 1979, Fol. Ent. Hung. 32(1): 122.

Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu, Ryukyus), U.S.S.R. (Maritime Territory), China (Taiwan).

Genus 17. *Dianous* Leach, 1819

왕딱부리반날개 속

47. *Dianous banghaasi* Bernhauer, 1916

왕딱부리반날개 (신칭)

- Dianous Bang-Haasi* Bernhauer, 1916, Arch. Naturg. Abt. A, 81: 27.
Dianous pilosus Champion, 1919, Ent. Monthl. Mag. 55: 54.
Dianous Bang-Haasi: Scheerpeltz, 1933, Col. Cat. 129: 1199.
Dianous bang-haasi: Wu, 1937, Cat. Ins. Sin. 3: 325-326.
Dianous Bang-Haasi: Benick, 1940, Mitt. Münch. Ent. Ges. 30: 575.
Dianous bang-haasi: Puthz, 1970, Proc. Roy. Ent. Soc. Lond. B, 39: 32.
Dianous bang-haasi: Puthz, 1971, Ent. Rev. Jap. 23 (2): 89.

Distribution: Korea (new record: Chejudo), China (Kiautschou, Kiangsu, Hunan, Chekiang, Kiukiang).

Subfamily IX. PAEDERINAE

개미반날개 아과

Tribe Pinophilini

Genus 18. *Oedichirus* Erichson, 1840

어리개미반날개 속

48. *Oedichirus lewisius* Sharp, 1874

어리개미반날개 (신칭)

- Oedichirus lewisius* Sharp, 1874, Trans. Ent. Soc. Lond.: 76.
Oedichirus lewisius: Bernhauer et Schubert, 1912, Col. Cat. 40: 201.
Oedichirus lewisius: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 22.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu, Ryukyus).

Tribe Paederini

Genus 19. *Paederus* Fabricius, 1775

개미반날개 속

49. *Paederus (Heteropaederus) fuscipes* Curtis, 1840

창딱지개미반날개 (개)

Paederus fuscipes Curtis, 1840, Ent. Brit. III: 108.

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Royle Beetles from Korea

- Paederus Idae* Sharp, 1874, Trans. Ent. Soc. Lond.: 75.
Paederus Fuscipes: Bernhauer et Schubert, 1912, Col. Cat. 40: 206.
Paederus idae: Masaki, 1936, Kontyû 10 (5): 264.
Paederus idae: Morita, 1936, Ent. World 4 (34): 856.
Paederus idae: Haku, 1936, Journ. Chos. Nat. Hist. Soc. 21: 125.
Paederus idae (sic): Mochizuki et Tsune, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.
Paederus (Heteropaederus) fuscipes: Scheerpeltz, 1957, Mem. Mus. Stor. Nat. Ven. trid. II: 461.
Paederus fuscipes: Cho, 1963, Hum. & Sci., Nat. Sci. Kor. Univ. 6: 204.
Paederus fuscipes: Cult. & Inf. Min., 1968, Rep. Acad. Serv. Mt. Hanlasan: 259.
Paederus fuscipes: Seok, 1970, Jej. Chongs. 5: 72.
Paederus (Heteropaederus) fuscipes: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 24-26.
Paederus fuscipes: Lee et Kwon, 1981, Rep. Kor. Ass. Cons. Nat. 19: 153.

Distribution: Korea (Central, South, Chejudo), Japan (Whole part), Cosmopolitan except America.

50. *Paederus (Paederus) parallelus* Weise, 1877 개미반날개 (개)

- Paederus parallelus* Weise, 1877, Deutsch, Ent. Zeitschr. 21: 368.
Paederus parallelus: Bernhauer et Schubert, 1912, Col. Cat. 40: 209.
Paederus parallelus: Okamoto, 1924, Bull. Agr. Exp. Stat. Gov. Gen. Chos. 1 (2): 168.
Paederus (Paederus) parallelus: Scheerpeltz, 1957, Mem. Mus. Stor. Nat. Ven. trid. II: 462.
Paederus parallelus: Adachi, 1957, Journ. Toyô Univ. 11: 189.
Paederus parallelus: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Paederus parallelus: Kim, 1961, Chinju Agr. Coll.: 21.
Paederus parallelus: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Paederus (Paederus) parallelus: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 27.
Paederus (Paederus) parallelus: Watanabe et Baba, 1981, Bull. Etsuza Ins. Lov. Soc. 52: 25.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu).

Genus 20. *Megalopaederus* Scheerpeltz, 1957 우리개미반날개 속 (개칭)

51. *Megalopaederus gottschei* (Kolbe, 1886) 꽃체개미반날개 (개칭)

- Paederus Gottschei* Kolbe, 1886, Arch. f. Nat. 52: 179-180, pl. 11 (23).
Paederus Gottschei: Bernhauer et Schubert, 1912, Col. Cat. 40: 206.
Paederus gottschei: Cho, 1934, Journ. Chos. Nat. Hist. Soc. 17: 83.
Paederus gottichei (sic): Mochizuki, 1936, Kontyû 10 (4): 212.
Paederus gottschei: Wu, 1937, Cat. Ins. Sin. 3: 329.
Paederus gottichei (sic): Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 56.
Paederus gottschei: Cho, 1947, Bull. Zool. Sect. Nat. Sei. Mus. Seoul, 2 (3): 70.
Paederus gottschei: Cho, 1957, Hum & Sci., Nat. Sci. Kor. Univ. 2: 202.
Paederus gottschei: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Paederus gottschei: Cho., 1969, Ill. Encycl. Faun. & El. Kor. 10: 197-198, pl. 66 (3)

Paederus gottschei: Kim et Kim, 1972, Rep. Kor. Ass. Cons. Nat. 5: 76 (Gucheondong).

Paederus gottschei: Kim, 1978, Distr. Atl. Ins. Kor. 2: 48, pl. 8 (ST 01).

Distribution: Korea (North, Central, South), China (Manchuria).

Genus 21. *Astenus* Stephens, 1832

노랑개미반날개

52. *Astenus bicolon* (Sharp, 1874)

노랑개미반날개 (신칭)

Sunius bicolon Sharp, 1874, Trans. Ent. Soc. Lond.: 72.

Astenus bicolon: Bernhauer et Schubert, 1912, Col. Cat. 40: 214.

Astenus bicolon: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 33.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu, Ryukyus), China (Mainland, Taiwan).

Genus 22. *Rugilus* Leach, 1819

가는목반날개 속

53. *Rugilus ceylanensis* (Kraatz, 1859)

황딱지가는목반날개 (신칭)

Stilicus ceylanensis Kraatz, 1859, Arch. f. Nat. 25 (1): 126.

Stilicus ceylanensis: Bernhauer et Schubert, 1912, Col. Cat. 40: 224.

Stilicus ceylanensis: Scheerpeltz, 1933, Ibid. 129: 1241.

Rugilus ceylanensis: Sakaguti et Sawada, 1955, Coll. Ill. Ins. Jap. Col.: 53, pl. 15 (295).

Rugilus ceylanensis: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 40-41.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), India, Thailand, Philippines.

54. *Rugilus rufescens* (Sharp, 1874)

가는목반날개 (신칭)

Stilicus rufescens Sharp, 1874, Trans. Ent. Soc. Lond.: 61.

Stilicus rufescens: Bernhauer et Shubert, 1912, Col. Cat. 40: 226.

Stilicus rufescens: Haku, 1936, Journ. Chos. Nat. Hist. Soc. 21: 125.

Rugilus rufescens: Adachi, 1957, Journ. Tôyô Univ. 11: 188 (Korea).

Rugilus rufescens: Nakane, 1963, Icon. Ins. Jap. Col. Nat. ed. 2: 88, pl. 44 (21). Korea.

Rugilus rufescens: Shibata, 1973, Ann. Bull. Nich. Sank. 16: 48-49.

Rugilus rufescens: Watanabe et Shibata, 1976, Nat. & Lif. S.E. Asia 7: 330.

Rugilus rufescens: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 42-43.

Rugilus rufescens: Ed. Dep. Hokuryukan, 1979, Ill. Ins. Jap. Stud. ed.: 362, f. 203C.

Rugilus rufescens: Watanabe et Baba, 1981, Bull. Etsuza Ins. Lov. Soc. 52: 25.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima), China (Taiwan), Ceylon, Burma, India, U.S.S.R. (E. Siberia), W. E. Africa.

Genus 23. *Lithocharis* Boissduval et Lacordaire, 1835

개미반날개붙이 속 (신칭)

55. *Lithocharis Nigriceps* Kraatz, 1859 개미반날개붙이 (신칭)

- Lithocharis nigriceps* Kaaatz, 1859, Arch. f. Nat. 25 (1): 139.
Lithocharis parviceps Sharp, 1874, Trans. Ent. Soc. Lond.: 66.
Medon (Lithocharis) nigriceps: Scheerpeltz, 1933, Col. Cat. 129: 1261.
Medon nigriceps: Adachi, 1950, Icon. Ins. Jap. ed. sec. ref.: 1000, f. 2852.
Lithocharis nigriceps: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 51-52.

Distribution: Korea (new record; South, Central), Japan (Honshu, Shikoku, Kyushu, Tsushima, Ryukyus), China (South, Taiwan), India, Thailand, Philippines.

Genus 24. *Isocheilus* Sharp, 1889 큰개미반날개 속

56. *Isocheilus staphylinoides* (Kraatz, 1859) 큰개미반날개 (신칭)

- Lithocharis staphylinoides* Kraatz, 1859, Arch. f. Nat. 25 (1): 134.
Medon (Isocheilus) staphylinoides: Bernhauer et Schubert, 1912, Col. Cat. 40: 242.
Isocheilus staphylinoides: Cameron, 1931, Faun. Brit. Ind. Col. Staph. 2: 164.
Medon staphylinoides: Adachi, 1950, Icon. Ins. Jap. ed. sec. ref.: 1001, fig. 2853.
Isocheilus staphylinoides: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 57-58.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu, Tsushima, Ryukyus), China (Taiwan), India, Singapore, E. Africa.

Genus 25. *Lathrobium* Grabenhorst, 1802 홍딱지개미반날개 속

57. *Lathrobium dignum* Sharp, 1874 홍딱지개미반날개 (개)

- Lathrobium digne* Sharp, 1874, Trans. Ent. Soc. Lond.: 55.
Lathrobium dignum: Bernhauer et Schubert, 1912, Col. Cat. 40: 258.
Lathrobium dignum (sic): Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Lathrobium dignum: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Lathrobium dignum: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 65-66.

Distribution: Korea (Central), Japan (Honshu, Hokkaido, Shikoku, Kyushu).

Genus 26. *Ochtheophilum* Stephens, 1829 긴머리반날개 속

58. *Ochtheophilum densipenne* (Sharp, 1889) 긴머리반날개 (신칭)

- Cryptobium densipenne*: Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 254.
Cryptobium densipenne: Bernhauer et Schubert, 1912, Col. Cat. 40: 282.
Ochtheophilum densipenne: Adachi, 1957, Journ. Tôyô Univ. 11: 186.
Ochtheophilum densipenne: Lee et Kwon, 1974, Nat. & Lif. 4: 34-35.
Ochtheophilum densipenne: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 81.

Distribution: Korea (South, Chejudo), Japan (Honshu, Kyushu).

59. *Ochtheophilum japonicum* (Sharp, 1874) 일본긴머리반날개 (개칭)

- Cryptobium japonicum* Sharp, 1874, Trans. Ent. Soc. Lond.: 60.
Cryptobium japonicum: Bernhauer et Schubert, 1912, Col. Cat. 40: 82.
Ochtheophilum japonicum: Adachi, 1957, Journ. Tôyô Univ. 11: 186 (Korea).
Ochtheophilum japonicum: Shibata, 1977, Ann. Bull. Nich. Sank. 20: 82.

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Kyushu, Mikurajima), China (Taiwan).

Subfamily X. XANTHOLININAE 긴반날개 아과

Tribe Xantholinini

Genus 27. *Gauropterus* Thomson, 1860 딱지긴반날개 속

60. *Gauropterus fulgidus* (Fabricius, 1787) 딱지긴반날개 (신칭)

- Staphylinus fulgidus* Fabricius, 1787, Mant. Ins. 1: 220.
Eulius fulgidus: Ganglbauer, 1895, Käf. Mitt.-Eur. 2: 475.
Gauropterus fulgidus: Bernhauer et Schubert, 1914, Col. Cat. 57: 310.
Gauropterus fulgidus: Smetana, 1958, Faun. C. S. R. Staph. 1: 116.
Gyrohypnus fulgidus: Nakane, 1963, Icon. Ins. Jap. Col. Nat. ed. 2: 90, pl. 45 (16).
Gauropterus fulgidus: Coiffait, 1972, Suppl. Nouv. Rev. Ent. 2: 166.
Gauropterus fulgidus: Smetana, 1982, Mem. Ent. Soc. Can. 120: 72.
Gauropterus fulgidus: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 69.

Distribution: Korea (new record; South), Japan (Honshu, Kyushu), Ceylon, Burma, Sumatra, Europe, North America.

Tribe Othiini

Genus 28. *Othius* Stephene, 1829 흉딱지긴반날개 속

61. *Othius medius* Sharp, 1874 큰흉딱지긴반날개 (신칭)

- Othius medius* Sharp, 1874, Trans. Ent. Soc. Lond.: 50.
Othius medius: Bernhauer et Schubert, 1914, Col. Cat. 57: 318.
Othiellus medius: Adachi, 1957, Journ. Tôyô Univ. 11: 185.
Othiellus medius: Kwon et Lee, 1974, Nat. & Lif. 4: 35. (Cheju-Do)
Othius medius: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 82-83.

Distribution: Korea (Chejudo), Japan (Honshu, Kyushu, Sadogashima, Tsushima).

62. *Othius rufipennis* Sharp, 1874 흉딱지긴반날개 (신칭)

- Othius rufipennis* Sharp, 1874, Trans. Ent. Soc. Lond.: 49.
Othius rufipennis: Cho, 1934, Journ. Chos. Nat. Hist. Soc. 17: 83-84.
Othius rufipennis: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

- Othius rufipennis*: Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 57.
Othius rufipennis: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Othiellus rufipennis: Adachi, 1957, Journ. Tôyô Univ. 11: 185.
Othius rufipennis (sic): Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Othius rufipennis: Kim et Kim, 1972, Rep. Kor. Ass. Cons. Nat. 5: 77.
Othius rufipennis: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 84-85.

Distribution: Korea (North, Central), Japan (Kyushu, Sadogashima, Kunashiri).

Subfamily XI. STAPHYLININAE 반날개 아과

Tribe Staphylinini

Subtribe Staphylini

Genus 29. *Philonthus* Curtis, 1829 좀반날개 속

63. *Philonthus (Philonthus) addendus* Sharp, 1867 동근좀반날개 (신칭)

- Philonthus addendus* Sharp, 1867, Proc. Ent. Soc. Lond. 5: 440.
Philonthus (Philonthus) addendus: Ganglbauer, 1895, Käf. Mitt. -Eur. 2: 445.
Philonthus addendus: Bernhauer et Schubert, 1914, Col. Cat. 57: 327.
Philonthus (Philonthus) addendus: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 91-92.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), U.S.S.R. (E. Siberia), Europe.

64. *Philonthus (Philonthus) cyanipennis* (Fabricius, 1792) 남색좀반날개 (개)

- Staphylinus cyanipennis* Fabricius, 1792, Ent. Syst. 1 (2): 525.
Philonthus (Philonthus) cyanipennis: Ganglbauer, 1895, Käf. Mitt. Eur. 2: 444.
Philonthus cyanipennis: Bernhauer et Schubert, 1914, Col. Cat. 57: 334.
Philonthus cyanipennis (sic): Mochizuki, 1936, Kontyû 10 (4): 212.
Philonthus cyanipennis: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. hist. Soc. 22: 78.
Philonthus cyanipennis (sic): Narita, 1939, Sci. Rep. Keityu 4: 46.
Philonthus cyanipennis: Cho, 1947, Bull. Zool. Sect. Nat. Sci. Mus. Seoul 2 (3): 70.
Philonthus cyanipennis: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Philonthus cyanipennis: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Philonthus cyanipennis: Kim et al., 1975, Rep. Kor. Ass. Cons. Nat. 7: 220.
Philonthus (Philonthus) cyanipennis: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 97-98.

Distribution: Korea (central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Sadogashima, Tsushima), Europe, N. America, U.S.S.R. (Sakhalin, Siberia).

65. *Philonthus (Philonthus) japonicus* Sharp, 1874 좀반날개

- Philonthus japonicus* Sharp, 1874, Trans. Ent. Soc. Lond.: 40.

- Philonthus japonicus*: Bernhauer et Schubert, 1914, Col. Cat. 57: 341.
Philonthus japonicus: Doi, 1938, Mushi 11(1): 94.
Philonthus japonicus: Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 56.
Philonthus japonicus: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Philonthus japonicus: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Philonthus japonicus: Hyun et Woo, 1969, Bull. Seoul Nat Univ. For. 6: 185.
Philonthus japonicus: Kim et Kim, 1971, Rep. Kor. Ass. Cons. Nat. 4: 155.
Philonthus japonicus: Kim et Kim, 1972, Ibid. 5: 76.
Philonthus japonicus: Kim, 1978, Distr. Atl. Ins. Kor. 2: 49. pl. 8 (ST 02).
Philonthus (Philonthus) japonicus: Shibata, 1982, Col. News 55: 3.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honsyu, Shikoku, Kyushu, Ryukyus), U.S.S.R. (E. Siberia, Sakhalin, Kuriles).

66. *Philonthus (Philonthus) longicornis* Stephens, 1832

수염줄만날개 (신정)

- Philonthus longicornis* Stephens, 1832, Ill. Brit. Ent. 5: 237.
Philonthus scybalarius Nordmann, 1837, Symb.: 94.
Philonthus (Philonthus) longicornis: Gangbauer, 1895, Kaf. Mitt. -Eur. 2: 454.
Philonthus longicornis: Bernhauer et Schubert, 1914, Col. Cat. 57: 344.
Philonthus (Gefyrobis) longicornis: Scheerpeltz, 1933, Ibid. 129: 1348.
Philonthus (Bisnius) longicornis: Adachi, 1957, Journ. Tôyô Univ. 11: 183.
Spatulonthus longicornis: Coiffait, 1974, Suppl. Nouv. Rev. Ent. 4 (4): 311.
Philonthus (Philonthus) longicornis: Shibata, 1983, Ann. Bull. Nich. Sank. 71: 106-107.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China, U.S.S.R., Europe, America, Cosmopolotan.

67. *Philonthus (Philonthus) micanticollis* Sharp, 1889

애줄줄만날개 (신정)

- Philonthus micanticollis* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 36.
Philonthus micanticollis: Bernhauer et Schubert, 1914, Col. Cat. 57: 346.
Philonthus (Gefyrobis) micanticollis: Scheerpeltz, 1933, Col. Cat. 129: 1351.
Philonthus (Bisnius) micanticollis: Adachi, 1957, Journ. Toyo Univ. 11: 183.
Philonthus (Philonthus) micanticollis: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 109.

Distribution: Korea (new record: South), Japan (Honshu, Kyushu).

68. *Philonthus (Philonthus) minutus* Boheman, 1848

먼시줄줄만날개

- Philonthus minutus* Boheman, 1848, Ins. Caffr. I: 279.
Philonthus mutans Sharp, 1874, Trans. Ent. Soc. Lond.: 43. (nom. syn.)
Philonthus minutus: Bernhauer et Schubert, 1914, Col. Cat. 57: 346.
Philonthus mutans: Cho, 1934, Journ. Chos. Nat. Hist. Soc. 17: 83.
Philonthus mutans: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 202.
Philonthus mutans: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Philonthus (Philonthus) minutus: Scheerpeltz, 1968, Cat. Faun. Austr. 15: 72.

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

Philonthus (Philonthus) minutus: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 109-110.

Distribution: Korea (North), Japan (Honshu, Shikoku, Sadogashima), China (Taiwan), S. Europe, Oriental Region, New Guinea, Africa, India, Ceylon.

69. *Philonthus (Philonthus) rectangles* Sharp, 1874

모란줄반딧개 (신정)

Philonthus rectangles Sharp, 1874, Trans. Ent. Soc. Lond.: 42.

Philonthus rectangles: Bernhauer et Schubert, 1914, Col. Cat. 57: 353.

Philonthus (Philonthus) rectangles: Scheerpeltz, 1933, Col. Cat. 129: 1358.

Philonthus (Philonthus) rectangles: Smetana, 1958, Faun. C.S.R. Col. Staph. 1: 174.

Philonthus (Philonthus) rectangles: Coiffait, 1974, Suppl. Nouv. Rev. Ent. 4 (4): 194.

Philonthus (Philonthus) rectangles: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 116.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Kyushu, Tsushima, Oki, Ryukyus), China (Central, Manchuria, Taiwan), U.S.S.R., Europe, N. America.

70. *Philonthus (Philonthus) rutiliventris* Sharp, 1874

등줄줄반딧개 (신정)

Philonthus rutiliventris Sharp, 1874, Trans. Ent. Soc. Lond.: 47.

Philonthus rutiliventris: Bernhauer et Schubert, 1914, Col. Cat. 57: 354.

Philonthus (Gefyrobis) rutiliventris: Scheerpeltz, 1933, Col. Cat. 129: 1359.

Philonthus (Bisnius) rutiliventris: Adachi, 1957, Journ. Tôyô. Univ. 11: 183.

Philonthus (Philonthus) rutiliventris: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 117-118.

Distribution: Korea (South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukyus, Tsushima), U.S.S.R. (E. Siberia, Iss, S. Kurile, Sakhalin).

71. *Philonthus (Philonthus) spinipes* Sharp, 1874

주홍줄반딧개 (개정)

Philonthus spinipes Sharp, 1874, Trans. Ent. Soc. Lond.: 39.

Philonthus spinipes: Bernhauer et Schubert, 1914, Col. Cat. 57: 356.

Philonthus (Philonthus) spinipes: Scheerpeltz, 1933, Col. Cat. 129: 1361.

Philonthus spinipes: Haku, 1936, Journ. Chos. Nat. Hist. Sci. 21: 125.

Philonthus spini (sic): Ishii, 1940, Sci. Rep. Keit. 5: 43.

Philonthus spinipes: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 203.

Philonthus spinipes: Zool. Soc. Kor. 1968, Nom. An. Kor. 2: 104.

Philonthus spinipes: Cho, 1969, Ill. Encycl. Faun. & Fl. Kor. 10: 198, pl. 66 (4).

Philonthus spinipes: Kim et Kim, 1971, Rep. Kor. Ass. Cons. Nat. 4: 155.

Philonthus spinipes: Kim, 1978, Distr. Atl. Ins. Kor. 2: 50, pl. 9.

Philonthus (Philonthus) spinipes: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 119.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukyus), China, E. Asia.

72. *Philonthus (Philonthus) wuesthoffi* Bernhauer, 1938

다줄줄반딧개 (신정)

- Philonthus wuesthoffi* Bernhauer, 1938, Ent. Nach. 12 (2): 98.
Philonthus wuesthoffi: Adachi, 1957, Journ. Tôyô Univ. 11: 183.
Philonthus (Philonthus) wuesthoffi: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 121-122.

Distribution: Korea (North), Japan (Hokkaido, Honshu, Kyushu, Sadogashima, Oki, Ryukyus), U.S.S.R. (Sakhalin), China.

Genus 30. *Rabigus* Mulsant et Ray, 1876 명반날개 속

73. *Rabigus brunnicollis* (Hochhuth, 1851) 명반날개 (신칭)

- Philonthus brunnicollis* Hochhuth, 1851, Bull. Mosc. 24 (3): 20.
Philonthus inconstans Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 40.
Philonthus (Rabigus) brunnicollis: Bernhauer et Schubert, 1914, Col. Cat. 57: 331.
Philonthus (Rabigus) brunnicollis: Adachi, 1957, Journ. Tôyô Univ. 11: 182.
Philonthus (Rabigus) brunnicollis: Nakane, 1963, Icon. Ins. Jap. Col. nat. ed. 2: 91, pl. 46(14).
Rabigus brunnicollis: Coiffait, 1974, Suppl. Nov. Rev. Ent. 4 (4): 110.
Philonthus (Rabigus) brunneicollis (sic): Schilov, 1976, Ins. Mong. 4: 153.
Rabigus brunnicollis: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 126-127.

Distribution: Korea (North?), Japan (Hokkaido, Honshu, Shikoku), U.S.S.R. (E. Siberia, S. Russia).

Genus 31. *Cafius* Stephens, 1832 명반날개 속

74. *Cafius (Cafius) nudus* (Sharp, 1874) 명반날개 (신칭)

- Philonthus nudus* Sharp, 1874, Trans. Ent. Soc. Lond.: 35.
Cafius nudus: Bernhaer et Schubert, 1914, Col. Cat. 57: 362.
Cafius nudus: Adachi, 1957, Journ. Tôyô Univ. 11: 182.
Cafius nudus: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 133.

Distribution: Korea (North), Japan (Hokkaido, Honshu, Kyushu, Ryukyus), U.S.S.R. (Iss. Kurile).

Genus 32. *Phucobius* Sharp, 1874 해변날개 속

75. *Phucobius simulator* Sharp, 1874 해변날개 (신칭)

- Phucobius simulator* Sharp, 1874, Trans. Ent. Soc. Lond.: 35.
Phucobius simulator: Bernhauer et Schubert, 1914, Col. Cat. 57: 373.
Phucobius simulator: Kim, 1980, Kor. Journ. Zool. 23 (3): 199.
Phucobius simulator: Kim, 1980, Comm. Pap. Prf. C. - W. Kim's 60th Birth. Ann: 142.
Phucobius simulator: Shibata, 1983, Ann. Bull. Nich. Sank. 22: 80-81.

Distribution: Korea (Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Genus 33. *Staphylinus* Linnaeus, 1758 반날개 속

76. *Staphylinus circumcinctus* Bernhauer, 1914 떠반날개 (신칭)

Staphylinus circumcinctus Bernhauer, 1914, Verh. Zool. -bot. Ges. Wien 64: 102.

Staphylinus (Platydracus) circumcinctus: Cameron, 1932, Faun. Brit. Ind. Col. Staph. 3: 187.

Staphylinus circumcinctus: Scheerpeltz, 1933, Col. Cat. 129: 1384.

Platydracus circumcinctus: Shibata, 1973, Ann. Bull. Nich. Sank. 16: 61-62.

Staphylinus circumcinctus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 82-83.

Distribution: Korea (Central, South, Chejudo, Hongdo), Japan (Honshu, Shikoku), Chir.a (Taiwan), E. India.

77. *Staphylinus inornatus* Sharp, 1874 검은반날개 (신칭)

Staphylinus inornatus Sharp, 1874, Trans. Ent. Soc. Lond.: 31.

Staphylinus (Gruppe Staphylinus) inornatus: Bernhauer et Schubert, 1914, Col. Cat. 57: 380.

Staphylinus (Platydracus) inornatus: Scheerpeltz, 1933, Col. Cat. 129: 1386.

Staphylinus inornatus: Mochizuki et Tsynekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.

Staphylinus inornatus: Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 56-57.

Platydracus inornatus: Adachi, 1957, Journ. Tôyô Univ. 11: 182.

Staphylinus inornatus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 84-85.

Distribution: Korea (Central, Hongdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima).

78. *Staphylinus paganus* Sharp, 1874 흉막지반날개 (신칭)

Staphylinus paganus Sharp, 1874, Trans. Ent. Soc. Lond.: 30.

Staphylinus (Gruppe Staphylinus) paganus: Bernhauer et Schubert, 1914, Col. Cat. 57: 381.

Staphylinus (Platydracus) paganus: Scheerpeltz, 1933, Col. Cat. 129: 1387.

Staphylinus paganus: Ishii, 1940, Sci. Rep. Keit. 5: 43.

Platydracus paganus: Adachi, 1957, Journ. Tôyô Univ. 11: 181.

Platydracus paganus: Kim et Kim, 1971, Rep. Kor. Ass. Cons. Nat. 4: 155.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Oki).

Genus 34. *Ocypus* Leach, 1819 검정반날개 속

79. *Ocypus (Neotasgius) brevicornis* Weise, 1877 좁막지검정반날개 (신칭)

Ocypus brevicornis Weise, 1877, Deutsch. Ent. Zeitschr. 21: 367.

Staphylinus (Gruppe Ocypus) brevicornis: Bernhauer et Scheerpeltz, 1914, Col. Cat. 57: 384.

- Staphylinus (Neotasgius) brevicornis*: Müller, 1925, Boll. Soc. Ent. Ital. 57: 41.
Ocypus (Neotasgius) brevicornis: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Ocypus (Neotasgius) brevicornis: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 87-88.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honchu, Shikoku, Kyushu).

80. *Ocypus (Protocypus) dorsalis* Sharp, 1889 노랑무늬검정반날개 (신칭)

- Ocypus dorsalis* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 109.
Staphylinus (Gruppe Ocypus) dorsalis: Bernhauer et Schubert, 1914, Col. Cat. 57: 385.
Staphylinus (Protocypus) dorsalis: Müller, 1924, Boll. Soc. Ent. Ital. 56: 26.
Ocypus (Protocypus) dorsalis: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Ocypus (Protocypus) dorsalis: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 89-90.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku), China.

81. *Ocypus (Protocypus) scutiger* Sharp, 1889 큰노랑무늬검정반날개 (신칭)

- Ocypus scutiger* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 110.
Staphylinus (Gruppe Ocypus) scutiger: Bernhauer et Schubert, 1914, Col. Cat. 57: 390.
Staphylinus (Protocypus) scutiger: Scheerpeltz, 1933, Col. Cat. 129: 1401.
Ocypus (Protocypus) Scutiger: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Ocypus (Protocypus) scutiger: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 90.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku).

82. *Ocypus (Aulacocypus) gloriosus* Sharp, 1874 금딱지 검정반날개 (신칭)

- Ocypus gloriosus* Sharp, 1874, Trans. Ent. Soc. Lond. : 34.
Staphylinus (Gruppe Ocypus) gloriosus: Bernhauer et Schubert, 1914, Col. Cat. 57: 387.
Staphylinus (Aulacocypus) gloriosus: Müller, 1925, Boll. Soc. Ent. Ital. 57: 40.
Ocypus gloriosus: Masaki. 1936, Kontyû 10 (5): 264-265.

Distribution: Korea (South), Japan (Honshu).

83. *Ocypus (Aulacocypus) parvulus* Sharp, 1874 구리빛검정반날개 (신칭)

- Ocypus parvulus* Sharp, 1874, Trans. Ent. Soc. Lond.: 33.
Staphylinus (Gruppe Ocypus) parvulus: Bernhauer et Schubert, 1914, Col. Cat. 57: 389.
Staphylinus (Tasgius) jureceki Rambousek, 1923, Cas. Cēs. Spol. Ent. 20: 54.
Staphylinus (aulacocypus) parvulus: Müller, 1925, Boll. Soc. Ent. Ital. 57: 40.
Ocypus (Aulacocypus) parvulus: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Ocypus (Aulacocypus) parvulus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 91-92.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku), U.S.S.R. (Maritime Territory).

84. *Ocypus (Pseudocypus) nigroaeneus rambouseki* Müller, 1925. 검정반날개

- Ocypus nigroaeneus* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 109.
Staphylinus (Gruppe Ocypus) nigroaeneus: Bernhauer et Schubert, 1914, Col. Cat. 57: 388.
Staphylinus (Pseudocypus) grisei nigroaeneus: Müller, 1925, Boll. Soc. Ent. 57: 45.
Staphylinus (Pseudocypus) rambouseki Müller, 1925, Ibid, 57: 46.
Staphylinus rambouseki var. *nigroaeneus*: Scheerpeltz, 1933, Col. Cat. 129: 1401.
Ocypus nigro-aeneus: Cho, 1934, Journ. Chos. Nat. Hist. Soc. 17: 83.
Staphylinus nigro-aeneus: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.
Staphylinus rambouseki nigroaeneus: Yokoyama et Adachi, 1950, Icon. Ins. Jap. ed. sec. ref.: 1012.
Ocypus (Pseudocypus) rambouseki var. *nigroaeneus*: Adachi, 1957, Journ. Toyo Univ. 11: 181.
Oxyporus nigroaeneus (sic): Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 201-202.
Oxyporus nigroaeneus (sic): Zool. Soc. Kor. 1968, Nom. An. Kor. 2: 104.
Oxyporus nigroaeneus (sic): Cho, 1969, Ill. Encycl. Fauna. & Fl. Kor. 10: 197, pl. 66 (1).
Ocypus rambouseki nigroaeneus: Nakane, 1971, Res. Co-op. Sci. Surv. Mt. Fuji: 1000.
Ocypus (pseudocypus) rambouseki nigroaeneus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 93-94.

Distribution: Korea (Central, South, U.S.S.R. (Maritime Territory, E. Siberia), Mongolia.

85. *Ocypus (Xanthocypus) weisei* Harold, 1877. 노랑털검정반날개 (신칭)

- Ocypus Weisei* Harold, 1877, Deutsch. Ent. Zeitschr. 21: 344.
Staphylinus (Gruppe Ocypus) Weisei: Bernhauer et Schubert, 1914, Col. Cat. 57: 391.
Staphylinus (Xanthocypus) weisei: Müller, 1925, Boll. Soc. Ent. Ital. 57: 40.
Ocypus weisei: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.
Ocypus weisei: Ishii, 1940, Sci. Rep. Keit. 5: 43.
Ocypus (Xanthocypus) weisei: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Ocypus weisei: Kim et al., 1976, Rep. Kor. Ass. Cons. Nat. 9: 102.
Ocypus weisei: Kim, 1978, Distr. Atl. Ins. Kor. 2: 51, pl. 9.
Ocypus (Xanthopus) weisei: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 95-96.

Distribution: Korea (Central, Southern Chejudo), Japan (Hokkaido, Honshu, Kyushu, Tsushimas).

Genus 35. *Miobdelus* Sharp, 1889 좁딱지반날개 속

86. *Miobdelus brevipennis* Sharp, 1889 좁딱지반날개 (신칭)

- Miobdelus brevipennis* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 112.
Miobdelus brevipennis: Bernhauer et Schubert, 1914, Col. Cat. 57: 393.
Miobdelus brevipennis: Adachi, 1957, Journ. Tôyô Univ. 11: 181.
Miobdelus brevipennis: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 96.

Distribution: Korea (Central, South), Japan (Honshu), China (Southeast).

Genus 36. *Ontholestes* Gangbauer, 1895

독수리만날개 속

87. *Ontholestes gracilis* (Sharp, 1874)

독수리만날개 (개)

Leistotrophus gracilis Sharp, 1874, Trans. Ent. Soc. Lond.: 28.

Ontholestes gracilis: Bernhauer et Schubert, 1914, Col. Cat. 57: 392.

Leistotrophus gracilis: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.

Leistotrophus gracilis: Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 56.

Ontholestes gracilis: Adachi, 1957, Journ. Tôyô Univ. 11: 181.

Ontholestes gracilis: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 203.

Ontholestes gracilis: Zool. Soc. Kor. 1968, Nom. An. Kor. 2: 104.

Ontholestes gracilis: Kim, 1978, Distr. Atl. Ins. Kor. 2: 51.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, kyushu, Oki), U.S.S.R. (Maritime Territory).

Genus 37. *Eucibdelus* Kraatz, 1859

세빛만날개 속

88. *Eucibdelus japonicus* Sharp, 1874

세빛만날개

Eucibdelus japonicus Sharp, 1874, Trans. Ent. Soc. Lond.: 29.

Eucibdelus japonicus: Bernhauer et Schubert, 1914, Col. Cat. 57: 394.

Eucibdelus japonicus: Weon et Choi, 1968, Rep. Acad. Surv. Is. Hongdo: 379.

Eucibdelus japonicus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 101.

Distribution: Korea (Hongdo), Japan (Honshu, Shikoku, Kyushu).

Subtribe Xanthopygi

Genus 38. *Creophilus* Mannerheim, 1830

왕만날개 속

89. *Creophilus maxillosus* (Linnaeus, 1758)

왕만날개

Staphylinus maxillosus Linnaeus, 1758, Syst. Nat. ed. 10 (1): 421.

Creophilus maxillosus: Sharp, 1874, Trans. Ent. Soc. Lond.: 27.

Creophilus maxillosus: Bernhauer et Schubert, 1914, Col. Cat. 57: 398-399.

Creophilus maxillosus: Haku, 1936, Journ. Chos. Nat. Hist. Soc. 21: 125.

Creophilus maxillosus: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.

Creophilus maxillosus: Mochizuki et Masui, 1939, Sci. Rep. Keit. 4: 56.

Creophilus maxillosus: Ishii, 1940, Ibid. 5: 43.

Creophilus maxillosus: Cho, 1955, Seonggyunhagbo 2: 215-216.

Creophilus maxillosus: Cho, 1957, Hum. & sci., Nat. Sci. Kor. Univ. 2: 203.

Creophilus maxillosus: Cho, 1965, Comm. Thes, Sixt. Ann. Kor. Univ.: 186.

Creophilus maxillosus: Weon et Choi, 1968, Rep. Acad. Surv. Is. Hongdo: 379.

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

- Creophilus maxillosus*: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Creophilus maxillosus: Cho, 1969, Ill. Encycl. Faun. & Fl. Kor. 10: 198-199.
Creophilus maxillosus: Seok, 1970, Jej. Chongs. 5: 72.
Creophilus maxillosus: Kim et al., 1975, Ent. Res. Bull. Kor. Ent. Inst. 6: 15-16, 24, 34.
Creophilus maxillosus: Kim, 1978, Distr. Atl. Ins. Kor. 2: 51, pl. 9.
Staphylinus maxillosus: Lee et Kwon, 1981, Rep. Kor. Ass. Cons. Nat. 19: 153.
Creophilus maxillosus: Naomi, 1982, Kontyû 50 (1): 129-131.
Creophilus maxillosus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 103-104.

Distribution: Korea (North, Central, South, Ullungdo, Hongdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukyus), China, U.S.S.R. (Siberia), Europe.

Genus 39. *Agelosus* Sharp, 1889 왕복은딱지반날개 속

90. *Agelosus carinatus* (Sharp, 1874) 왕복은딱지반날개 (개칭)

- Goerius carinatus* Sharp, 1874, Trans. Ent. Soc. Lond.: 32.
Agelosus carinatus: Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 110.
Agelosus carinatus: Bernhauer et Schubert, 1914, Col. Cat. 57: 400.
Agelosus carinatus: Choi, 1969, Biot. Chuj. Iss.: 128.
Agelosus carinatus carinatus: Naomi, 1983, Kontyû, Tokyo: 51 (4): 583-585.
Agelosus carinatus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 111.

Distribution: Korea (Hongdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Genus 40. *Liusus* Sharp, 1889 큰철혹반날개 속

91. *Liusus humeralis* (Matsumura, 1911) 큰철혹반날개 (신칭)

- Staphylinus (Ocytus) humeralis* Matsumura, 1911, Journ. Coll. Agr. Tohoku Imp. Univ. 4 (1): 113.
Liusus hilleri (nec Weise): Kim et Kim, 1972, Rep. Kor. Ass. Cons. Nat. 5: 77.
Liusus hilleri (partim): Naomi, 1982, Kontyû, Tokyo 50 (1): 132-133.
Liusus humeralis: Watanabe, 1983, Kontyû, Tokyo 51 (2): 217-219.
Liusus humeralis: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 105-106.

Distribution: Korea (South), Japan (Hokkaido), U.S.S.R. (Sakhalin).

Genus 41. *Algon* Sharp, 1874 가슴반날개 속

92. *Algon grandicollis* Sharp, 1874 가슴반날개

- Algon grandicollis* Sharp, 1874, Trans. Ent. Soc. Lond.: 23.
Algon grandicollis: Bernhauer et Schubert, 1916, Col. Cat. 67: 415.
Algon grandicollis: Cho, 1957, Hum. & Sci., Nat. Sci. Kor. Univ. 2: 203.
Algon grandicollis: Zool. Soc. Kor., 1968, Nom. An. Kor. 2: 104.
Algon grandicollis: Hyun et Woo, 1970, Bull. Seoul Nat. Univ. For. 7: 79.

Algon grandicollis: Naomi, 1983, Kontyû, Tokyo 51 (4): 589-591.

Algon grandicollis: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 114-115.

Distribution: Korea (Central, South, Ullungdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Oki), China.

Tribe Quediini

Genus 42. *Heterothops* Stephens, 1832

아기방패반날개 속

93. *Heterothops cognatus* Sharp, 1874

아기방패반날개 (신칭)

Heterothops cognatus Sharp, 1874, Trans. Ent. Soc. Lond.: 20.

Heterothops cognata: Bernhauer et Schubert, 1916, Col. Cat. 67: 412.

Heterothops cognatus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 116.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Genus 43. *Velleius* Mannerheim, 1830

빛수염반날개 속

94. *Velleius dilatatus* (Fabricius, 1787)

큰빛수염반날개 (신칭)

Staphylinus dilatatus Fabricius, 1787, Mant. Ins. 1: 220.

Velleus dilatatus: Bernhauer et Schubert, 1916, Col. Cat. 67: 416.

Velleius dilatatus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 117-118.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu), China, Europe.

95. *Velleius pectinatus* Sharp, 1874

빛수염반날개 (신칭)

Velleius pectinatus Sharp, 1874, Trans. Ent. Soc. Lond.: 24.

Velleius pectinatus: Kraatz, 1888, Deutsch. Ent. Zeitschr. 32 (1): 204.

Velleius pectinatus: Bernhauer et Schubert, 1916, Col. Cat. 67: 415.

Velleius pectinatus: Mochizuki et Tsunekawa, 1937, Journ. Chos. Nat. Hist. Soc. 22: 78.

Velleius pectinatus: Narita, 1939, Sic. Rep. Keit. 4: 46.

Velleius pectinatus: Mochizuki et Masui, 1939, Ibid. 4: 57.

Velleius pectinatus: Ishii, 1940, Ibid. 5: 43.

Velleius pectinatus: Adachi, 1957, Journ. Toyo Univ. 11: 180.

Velleius pectinatus: Kim, 1978, Distr. Atl. Ins. Kor. 2: 51.

Velleius pectinatus: Watanabe, 1982, Sci. Res. Highm. Centr. Jap.: 411.

Velleius pectinatus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 118.

Distribution: Korea (Central), Japan.

Genus 44. *Quedius* Stephens, 1832

왕눈이반날개 속

96. *Quedius (Indoquedius) praeditus* Sharp, 1889

홍나라왕눈이반날개 (신칭)

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

Quedius (Raphirus) praeditus Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 29.

Quedius praeditus: Bernhauer et Schubert, 1916, Col. Cat. 67: 431.

Quedius (Indoquedius) praeditus: Cameron, 1932, Faun. Brit. Ind. Col. Staph. 3: 301.

Quedius (Indoquedius) praeditus: Shibata, 1984, Ann. Bull. Nich. Sank. 22: 138.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu, Shikoku).

Subfamily XII. TACHYPORINAE

뽕속반날개 아과

Genus 45. *Lordithon* Thomson, 1859

버섯반날개 속

97. *Lordithon bicolor* (Gravenhorst, 1806)

검은배버섯반날개 (신칭)

Tachinus bicolor Gravenhorst, 1806, Mon. Col. Mier.: 17.

Tachinus subterraneus (nec. Linnaeus): Bernhauer et Schubert, 1916, Col. Cat. 67: 486-487.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia), Europe.

98. *Lordithon simplex* (Sharp, 1888)

버섯반날개 (신칭)

Bolitobius simplex Sharp, 1888, Ann. Mag. Nat. Hist. 6, 2: 459.

Bolitobius simplex: Bernhauer et Schubert, 1916, Col. Cat. 67: 461.

Distribution: Korea (new record: Central), Japan (Honshu, Kyushu).

99. *Lordithon striatus* (Olivier, 1794)

떠날개버섯반날개 (신칭)

Carphacis striatus Olivier, 1794, Ent. 3: 28, pl. 5(47).

Bolitobius striatus: Bernhauer et Schubert, 1916, Col. Cat. 67: 461.

Lordithon striatus: Nakane, 1963, Icon. Ins. Jap. Col. Nat. ed. 2: 95, pl. 48 (10).

Distribution: Korea (South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

Genus 46. *Sepedophilus* Gistel, 1856

쌍무늬버섯반날개 속

100. *Sepedophilus bipustulatus* (Gravenhorst, 1802)

쌍무늬버섯반날개 (신칭)

Tachinus bipustulatus Gravenhorst, 1802, Col. Micr. Brunsv.: 132.

Conosoma bipustulatum: Bernhauer et Schubert, 1916, Col. Cat. 67: 466.

Sepedophilus bipustulatus: Nakane, 1963, Icon. Ins. Jap. Col. Nat. ed. 2: 95, pl. 48 (14).

Distribution: Korea (new record: South), Japan (Honshu), U.S.S.R. (Siberia, Kankasus), Europe, N. America.

Genus 47. *Tachinus* Gravenhorst, 1802

시베리아뽕속반날개 속

101. *Tachinus koreanus* Bernhauer, 1915 고려뽕추반날개 (신칭)*Tachinus koreanus* Bernhauer, 1915, Wien. Ent. Zeit. 34: 75.*Tachinus koreanus*: Bernhauer et Schubert, 1916, Col. Cat. 67: 482.

Distribution: Korea (North).

102. *Tachinus sibiricus* Sharp, 1888 북방뽕추반날개*Tachinus sibiricus* Sharp, 1888, Ann. Mag. Nat. Hist. 6 (II): 383.*Tachinus sibiricus*: Bernhauer et Schubert, 1916, Col. Cat. 67: 486.

Distribution: Korea, Japan.

Genus 48. *Tachyporus* Gravenhorst, 1806 뽕추반날개 속103. *Tachyporus suavis* Sharp, 1888 뽕추반날개 (신칭)*Tachyporus suavis* Sharp, 1888, Ann. Mag. nat. Hist. 6, 2: 452.*Tachyporus suavis*: Bernhauer et Schubert, 1916, Col. Cat. 67: 477.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu).

Subfamily XIII. ALEOCHARINAE 바수염반날개 아과Genus 49. *Ischnopoda* Stephens, 1835 우리바수염반날개 속104. *Ischnopoda (Atheta) euryptera japonica* (Bernhauer, 1907) 날개우리바수염반날개 (신)*Atheta euryptera japonica* Bernhauer, 1907, Verh. Zool. Bot. Ges. Wien. 57: 407.*Atheta (Atheta) euryptera*: Bernhauer et Scheerpeltz, 1926, Col. Cat. 82: 642.*Atheta (Atheta) euryptera*: Adachi, 1957, Journ. Tōyō Univ. 11: 171.*Ischnopoda (Atheta) euryptera japonica*: Watanabe et Schibata, 1972, Journ. Agr. Sci., Tokyo Univ. Agr. 17 (1): 70.

Distribution: Korea (Central), Japan (Honshu, Yakushima).

105. *Ischnopoda (Atheta) koreana* (Bernhauer, 1922) 우리바수염반날개 (신)*Atheta koreana* Bernhauer, 1922, Kol. Rundsch. 10 (2, 3): 128.*Atheta (Microdota) koreana*: Bernhauer et Scheerpeltz, 1926, Col. Cat. 82: 633.*Atheta (Microdota) koreana*: Wu, 1937, Cat. Ins. Sin. 3: 357.

Distribution: Korea (Central, North), China (Manchuria).

Genus 50. *Aleochara* Gravenhorst, 1802 바수염반날개 (신칭)

J.H. YUH; W.H. PAIK; Y.J. KWON; S.M. LEE: Check List of Rove Beetles from Korea

106. *Aleochara (Coprochara) bipustulata* (Linnaeus, 1761) 황무늬바수염반날개 (개)

Staphylinus bipustulatus Linnaeus, 1761, Faun. Suec. ed. 2: 232.

Aleochara (Coprochara) bipustulata: Bernhauer et Scheerpeltz, 1926, Col. Cat. 82: 793.

Aleochara (Coprochara) bipustulata: Nakane, 1963, Icon. Ins. Jap. Col. Nat. ed. 2: 100, pl. 50 (21).

Aleochara bipustulata: Kim, 1980, Kor. Journ. Zool. 23 (3): 199-200.

Distribution: Korea (Central), Japan (Honshu, Hokkaido), Holarctic Region, N. Africa.

107. *Aleochara (Aleochara) curtula* (Goeze, 1777) 홍딱지바수염반날개 (신칭)

Staphylinus curtula Goeze, 1777, Ent. Beytr. 1: 730.

Staphylinus brachyptera Fourcroy, 1795, Ent. Par. 1: 315.

Aleochara brevis Heer, 1842, Faun. Helv. 1: 315.

Aleochara discoidea Sharp, 1874, Trans. Ent. Soc. Lond.: 7.

Aleochara fuscipes Gravenhorst, 1802, Col. Micr. Brunsv.: 92.

Aleochara limbata Fabricius, 1801, Syst. El. 2: 600.

Aleochara puncticeps Thomson, 1860, Skand. Col. 2: 248.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia), Europe, N. America.

108. *Aleochara (Aleochara) lata* Gravenhorst, 1802 바수염반날개 (신칭)

Aleochara lata Gravenhorst, 1802, Col. Micr. Brunsv.: 186.

Aleochara (Aleochara) lata: Bernhauer et Scheerpeltz, 1926, Col. Cat. 82: 777-778.

Aleochara lata: Haku, 1936, Journ. Chos. Nat. Hist. Soc. 21: 125.

Distribution: Korea (South), U.S.S.R. (E. Siberia, Caucasus), Europe.

109. *Aleochara (Aleochara) parens* Sharp, 1874 애홍딱지바수염반날개 (신칭)

Aleochara parens Sharp, 1874, Trans. Ent. Soc. Lond.: 6.

Aleochara (Aleochara) parens: Bernhauer et Scheerpeltz, 1926, Col. Cat. 82: 778.

Aleochara parens: Ishii, 1940, Sci. Rep. Keit. 5: 43.

Distribution: Korea (Central), Japan (Honshu, Shikoku).

SUPPLEMENTUM

ABSTRACT

In addition to above, following 13 species are recorded for the first time from Korea. So, 122 species belonging to 56 genus under 13 subfamilies are known to Korean fauna.

1-1 *Siagonium nobile* Sharp, 1889 수염납작반날개 (신칭)

Siagonium nobile Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 463.

Siagonium nobile: Bernhauer et Schubert, 1910, Col. Cat. 19: 9.

Distribution: Korea (new record), Japan (Honshu, Shikoku, Kyushu).

3-1 *Lispinus impressicollis longulus* Sharp, 1874 긴줄납작반날개 (신칭)

Lispinus impressicollis Motschulsky, 1857, Bull. Moscou. 30 (4): 495.

Lispinus longulus Sharp, 1874, Trans. Ent. Soc. Lond: 101.

Lispinus impressicollis to var. *longulus*: Bernhauer et Schubert, 1910, Col. Cat. 19: 22.

Lispinus impressicollis longulus: Bernhauer, 1929, Philipp. J. Sci. 38: 353.

Distribution: Korea (new record), Japan (Honshu, Shikoku, Kyushu, Ryuku).

15-1 *Carperimus (Carperimus) vagus* (Sharp, 1889) 어리굽은줄반날개 (신칭)

Trogophloeus vagus Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 417.

Trogophloeus (Trogophloeus) vagus: Bernhauer et Schubert, 1911, Col. Cat. 29: 105.

Carperimus (Carperimus) vagus: Adachi, 1957, J. Tôyô Univ. 11: 195.

Distribution: Korea (new record), Japan (Honshu, Kyushu), Taiwan.

46-1 *Stenus (Stenus) calliceps* Bernhauer, 1916 고운머리딱부리반날개 (신칭)

Stenus Calliceps Bernhauer, 1916, Arch. Naturg., Berl. 81: 28.

Stenus Calliceps: Puthz, 1974a, Fragm. Faun. 19 (16): 436-437.

Distribution: Korea, Japan.

62-1 *Nudobius apicipennis* Sharp, 1889 납작홍딱지반날개 (신칭)

Nudobius apicipennis Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 253.

Nudobius apicipennis: Bernhauer et Schubert, 1914 Col. Cat. 57: 298.

Distribution: Korea (new record), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukus).

72-1 *Philonthus (Philonthus) cunctator* Sharp, 1889

구리딱지좀반날개 (신칭)

- Philonthus cunctator* Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 41.
Philonthus cunctator: Bernhauer et Schubert, 1914, Col. Cat. 57: 334.
Philonthus (Gefyrobis) cunctator: Scheerpeltz, 1933, Col. Cat. 129: 1338.
Philonthus (Bisnius) cunctator: Adachi, 1957, J. Tôyô Univ. 11: 183.
Philonthus (Philonthus) cunctator: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 96.

Distribution: Korea (new record), Japan (Honshu).

72-2 *Philonthus (Philonthus) sericans* Sharp, 1874

비단좀반날개 (신칭)

- Philonthus sericans* Sharp, 1874, Trans. Ent. Soc. Lond.: 45.
Philonthus sericans: Bernhauer et Schubert, 1914, Col. Cat. 57: 355.
Philonthus (Gefyrobis) sericans: Scheerpeltz, 1933, Col. cat. 129: 1360.
Philonthus (Bisnius) sericans: Adachi, 1957, J. Tôyô Univ. 11: 183.
Philonthus (Philonthus) sericans: Shibata, 1983, Ann. Bull. Nich. Sank. 21: 118.

Distribution: Korea (new record), Japan (Shikoku, Kyushu).

96-1 *Quedius parviceps* Sharp, 1874

침흑왕눈이반날개 (신칭)

- Quedius parviceps* Sharp, 1874, Trans. Ent. Soc. Lond.: 25.
Quedius parviceps: Bernhauer et Schubert, 1916, Col. Cat. 67: 430.
Quedius (Quedius?) parviceps: Scheerpeltz, 1933, Col. Cat. 129: 1456.
Quedius (Quedius) Parviceps: Adachi, 1957, J. Tôyô Univ. 11: 179.

Distribution: Korea (new record), Japan (Honshu, Shikoku, Kyushu).

91-1 *Liusus hilleri* (Weise, 1877)

어리큰침흑반날개 (신칭)

- Hadrotes hilleri* Weise, 1877, Deutsch. Ent. Zeitschr. 21: 93.
Liusus hilleri: Sharp, 1889, Ann. Mag. Nat. Hist. 6, 3: 117.
Liusus hilleri: Bernhauer et Schubert, 1914, Col. Cat. 57: 399.

Distribution: Korea (new record), Japan (Hokkaido, Honshu, Kyushu).

103-1 *Cilea silphoides* (Linnaeus, 1735)

쌍검뿔죽반날개 (신칭)

- Staphylinus silphoides* Linnaeus, 1735, Syst. Nat. I, 2: 684.
Leucoparyphus silphoides Kraatz, 1856-58 Nat. Ins. Deutschl. 2: 394-494.
Leucoparyphus silphoides: Bernhauer et Schubert, 1914, Col. Cat. 57: 493.

Distribution: Korea (new record), Cosmopolitan.

109-1 *Placusa tachypoloides* Walzl, 1838

납작애반날개 (신칭)

Placusa tachypoloides Waltl, 1838, Arch. Nat. IV: 268.

Placusa tachypoloides: Bernhauer et Scheerpeltz, 1916, Col. Cat. 82: 543-544.

Distribution: Korea (new record), Japan, Siberia.

109-2 *Oligota yasumatzui* Kistner, 1969 깨알반날개 (신칭)

Oligota yasumatzui Kistner, 1969, Mushi 42(2): 141-146.

Distribution: Korea (new record), Japan.

109-3 *Gyrophaena niponensis* Cameron, 1933 남작버섯반날개 (신칭)

Gyrophaena niponensis Cameron, 1933, Ent. Monthl. Mag. L. XIX: 174.

Distribution: Korea (new record), Japan (Houshu).